


```

SSSSSSSS EEEEEEEEEE TTTTTTTTTT
SSSSSSSS EEEEEEEEEE TTTTTTTTTT

SS        EE          TT
SS        EE          TT
SS        EE          TT
SS        EE          TT
      SSSSSS   EEEEEEEE   TT
      SSSSSS   EEEEEEEE   TT
                SS       TT
                SS       TT
                SS       TT
                SS       TT
SSSSSSSSS   EEEEEEEEEE   TT
SSSSSSSSS   EEEEEEEEEE   TT

```

```

LL          IIIIII          SSSSSSSS
LL          IIIIII          SSSSSSSS
LL          II             SS
LL          II             SS
LL          II             SS
LL          II             SS
LL          II             SSSSSS
LL          II             SSSSSS
LL          II             SS
LL          II             SS
LL          II             SS
LL          II             SS
LLLLLLLLLLLL IIIIII          SSSSSSSS
LLLLLLLLLLLL IIIIII          SSSSSSSS

```

```
1  ---
2
3      Error messages for the SET utility
4
5      Version 'V04-000'
6
7  *****
8  *
9  *  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
10 *  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
11 *  ALL RIGHTS RESERVED.
12 *
13 *  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
14 *  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
15 *  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
16 *  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
17 *  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
18 *  TRANSFERRED.
19 *
20 *  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
21 *  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
22 *  CORPORATION.
23 *
24 *  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
25 *  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
26 *
27 *
28 *****
29
30 **
31 FACILITY:  SET utility
32
33 ABSTRACT:
34
35     These are the error messages used by the SET command
36
37 ENVIRONMENT:
38
39     VAX/VMS operating system, privileged user mode utility,
40     operates at non-AST level.
41
42 AUTHOR:  Greg Robert,  June, 1981
43
44 MODIFIED BY:
45
46     V03-027 AEW008      Anne E. Warner      07-Aug-1984
47             Add non-fatal error MSCPNOTLD to tell the user that
48             the MSCP-Server code is not loaded.  The original use
49             for this is in SET DEV/SERVED when trying to MSCP serve
50             a device when the server code is not loaded.
51
52     V03-026 AEW007      Anne E. Warner      25-Jul-1984
53             Add non-fatal error INVDEV to tell user that the
54             device type specified is invalid for the operation
55             requested.  Originally for use in SET DEVICE.
56
```



```

57 | V03-025 AEW006 Anne E. Warner 17-Jul-1984
58 | Add non-fatal error NOTDISK telling user that he has
59 | tried to SET VOLUME . . to a non-Files-11 device.
60 |
61 | V03-024 AEW005 Anne E. Warner 05-Jul-1984
62 | Change ALTPRV to ALTPRI from below because there is
63 | no privilege ALTPRV.
64 |
65 | V03-023 AEW0004 Anne E. Warner 04-Jun-1984
66 | Add non-fatal error NOPRIO, from module SETPROCES.B32
67 | stating that the process priority cannot be raised
68 | above base because the process does not have ALTPRV.
69 | (actually its ALTPRI - see above)
70 |
71 | V03-022 LMP0232 L. Mark Pilant, 16-Apr-1984 14:59
72 | Add OBJLOCKED message for SETSHOACL to indicate that
73 | the attempt to get a write lock failed.
74 |
75 | V03-021 LMP0226 L. Mark Pilant, 9-Apr-1984 11:49
76 | Add IVORDER and NOSUCHACE for use by SETACL.
77 |
78 | V03-020 AEW0004 Anne E. Warner 6-Apr-1984
79 | Add non-fatal error NUIUQPORT stating that the device
80 | is not connected to a UNIBUS/Q-bus port.
81 |
82 | V03-019 AEW0003 Anne E. Warner 22-Mar-1984
83 | Add messages used when SET VOLUME attempts to modify
84 | a /FOREIGN mounted volume. Both are severity error.
85 | - NOTMOD - Volume not modified
86 | - BADFRMT- Volume is not mounted with Files-11 format
87 |
88 | V03-018 EMD0066 Ellen M. Dusseault 14-Mar-1984
89 | Add message, SET$_NOPERM, for SET TERMINAL.
90 |
91 | V03-017 PRB0321 Paul Beck 11-Mar-1984 12:58
92 | Add SET$_NOCLUSTER message for SET CLUSTER
93 |
94 | V03-016 SHZ0001 Stephen H. Zalewski 14-Feb-1984
95 | Add new error messages for SET PASSWORD.
96 |
97 | V03-015 AEW0002 Anne Warner 15-Dec-1983
98 | Add messages for /PROTECTION
99 | PROTNOTCHG -- error message, protection not changed
100 | PROERR -- error message, unable to protect file
101 | PROTECTED -- information message for /LOG, shows protection change
102 |
103 | V03-014 LMP0168 L. Mark Pilant, 11-Nov-1983 13:39
104 | Add message to note that hidden ACEs cannot be modified.
105 |
106 | V03-013 AEW0001 Anne Warner 08-Nov-1983
107 | Add messages for /UNLOCK
108 | UNLOCKERR -- error message
109 | NOTLOCKED -- informational message
110 | UNLOCKED -- informational message with keyword /LOG
111 |
112 | V03-012 GAS0176 Gerry Smith 7-Sep-1983
113 | Add JNLACCERR, error accessing security journal.

```

| | | | | | |
|-----|---|---------|---|-------------|-------------|
| 114 | : | | | | |
| 115 | : | V03-011 | GAS0143 | Gerry Smith | 25-Jul-1983 |
| 116 | : | | Add messages for SET AUDIT. | | |
| 117 | : | | | | |
| 118 | : | V03-010 | GAS0139 | Gerry Smith | 17-Jun-1983 |
| 119 | : | | Add messages for SET PASSWORD. | | |
| 120 | : | | | | |
| 121 | : | V03-009 | GAS0130 | Gerry Smith | 28-Apr-1983 |
| 122 | : | | Make UNKTERM an informational. | | |
| 123 | : | | | | |
| 124 | : | V03-008 | GAS0117 | Gerry Smith | 12-Apr-1983 |
| 125 | : | | Fix some missing /FAOs and add some /ID=NOTSETs so | | |
| 126 | : | | that the error messages look like NOTSET, instead | | |
| 127 | : | | of WRITEERR. | | |
| 128 | : | | | | |
| 129 | : | V03-007 | GAS0112 | Gerry Smith | 29-Mar-1983 |
| 130 | : | | Add new messages for SET ACCOUNTING, SET TERMINAL. | | |
| 131 | : | | | | |
| 132 | : | V03-006 | GAS0108 | Gerry Smith | 12-Mar-1983 |
| 133 | : | | Add new messages for SET. | | |
| 134 | : | | | | |
| 135 | : | V03-005 | GAS0107 | Gerry Smith | 10-Feb-1983 |
| 136 | : | | Add SET\$_NEWLIMS and SET\$_INTSET, to signal the new | | |
| 137 | : | | values for SET LOGIN and SET WORKING_SET. | | |
| 138 | : | | | | |
| 139 | : | V03-004 | GAS0046 | Gerry Smith | 10-Feb-1982 |
| 140 | : | | Add SET\$_SYSNOTUPD, to show that the UCB and VCB were | | |
| 141 | : | | not able to be updated. | | |
| 142 | : | | | | |
| 143 | : | V03-003 | GAS0045 | Gerry Smith | 9-Feb-1982 |
| 144 | : | | Add disk name to HB\$_READ and HB\$_WRITE | | |
| 145 | : | | | | |
| 146 | : | V03-002 | GAS0026 | Gerry Smith | 18-Dec-1981 |
| 147 | : | | Use shared message file, and lower fatal messages to | | |
| 148 | : | | simple error messages. | | |
| 149 | : | | | | |
| 150 | : | V03-001 | GAS0018 | Gerry Smith | 16-Nov-1981 |
| 151 | : | | Add messages for SET FILE, SET DIRECTORY, and SET VOLUME. | | |
| 152 | : | | | | |
| 153 | : | | | | |

| | | | |
|----------|-----|------------------|--|
| 00000077 | 154 | | |
| | 155 | .FACILITY | SET,119 /SYSTEM |
| | 156 | | |
| | 157 | ! | |
| | 158 | Fatal errors | |
| | 159 | ! | |
| 0077800C | 160 | .SEVERITY FATAL | |
| | 161 | OWNPROC | <the !AS qualifier is only valid for your own process>/FAO=1 |
| | 162 | | |
| | 163 | ! | |
| | 164 | Non-fatal errors | |
| | 165 | ! | |
| | 166 | .SEVERITY ERROR | |
| 00778012 | 167 | CLOSEERR | <error closing !AS> /FAO=1 |
| 0077801A | 168 | ENTERR | <error entering !AS as !AS> /FAO=2 |
| 00778022 | 169 | HBREAD | <error reading home block of !AS> /FAO=1 |
| 0077802A | 170 | HBWRITE | <error writing home block of !AS> /FAO=1 |
| 00778032 | 171 | NOHOME | <volume does not contain a valid home block> |
| 0077803A | 172 | NONODE | <node specification not allowed> |
| 00778042 | 173 | NOTDIR | <file is not a directory> |
| 0077804A | 174 | NOTODS2 | <!AS qualifier invalid on Files-11 Structure Level 1 disk> /FAO=1 |
| 00778052 | 175 | OPENDIR | <error opening parent directory for !AS> /FAO=1 |
| 0077805A | 176 | OPERREQ | <OPER privilege required for /ACCESSED qualifier> |
| 00778062 | 177 | PRNOTCHG | <Protection on !AS not changed> /FAO=1 |
| 0077806A | 178 | PROERR | <Error protecting !AS> /FAO=1 |
| 00778072 | 179 | READERR | <error reading !AS> /FAO=1 |
| 0077807A | 180 | REMERR | <error removing !AS> /FAO=1 |
| 00778082 | 181 | UNLOCKERR | <error unlocking !AS> /FAO=1 |
| 0077808A | 182 | WRITEERR | <error modifying !AS> /FAO=1/ID=NOTSET |
| 00778092 | 183 | NONAME | <process name not set> /ID=NOTSET |
| 0077809A | 184 | NOPRIO | <need ALTPRI privilege to elevate above base priority> /ID=NOTSET |
| 007780A2 | 185 | NOSWAP | <swapping mode not changed> /ID=NOTSET |
| 007780AA | 186 | NOTPRIV | <privileges not changed> /ID=NOTSET |
| 007780B2 | 187 | NOWAIT | <process resource wait mode not changed> /ID=NOTSET |
| 007780BA | 188 | NOTRESUMED | <process !AS, PID=!XL, not resumed> /FAO=2/ID=NOTSET |
| 007780C2 | 189 | NOTSUSPND | <process !AS, PID=!XL, not suspended> /FAO=2/ID=NOTSET |
| 007780CA | 190 | NEWFILE | <new accounting file not created> |
| 007780D2 | 191 | PWDNOTVAL | <old password validation error - password not changed> |
| 007780DA | 192 | PWDNOTVER | <new password verification error - password not changed> |
| 007780E2 | 193 | PWDLOCKED | <password is locked to prevent change> |
| 007780EA | 194 | PWDSYNTAX | <illegal password syntax> |
| 007780F2 | 195 | SYSPWDERR | <error modifying system password> |
| 007780FA | 196 | UAFERR | <error accessing authorization file> |
| 00778102 | 197 | NOHIDDEN | <cannot modify hidden ACEs> |
| 0077810A | 198 | PWDNOTDIF | <new password must be different from current password> |
| 00778112 | 199 | INVPWDLEN | <invalid password length - password not changed> |
| 0077811A | 200 | NOCLUSTER | <qualifier only valid for VAXcluster systems> |
| 00778122 | 201 | NOTMOD | <!AS not modified> /FAO=1 |
| 0077812A | 202 | BADFRMT | <volume is not mounted with Files-11 format> |
| 00778132 | 203 | NOTDISK | <device must be a Files-11 format disk> |
| 0077813A | 204 | NOTUQPORT | <device not connected to a UNIBUS/Q-bus port> |
| 00778142 | 205 | IVORDER | <order of ACEs being modified is incorrect for object!/> !AS> /FAO |
| 0077814A | 206 | OBJLOCKED | <object currently locked by another user> |
| 00778152 | 207 | INVDEV | <device is invalid for requested operation> |
| 0077815A | 208 | MSCPNOTLD | <MSCP-Server code not loaded> |
| | 209 | | |

```

210 |
211 | Warning messages
212 |
213 | .SEVERITY WARNING
00778160 214 |      BUFBLKREQ      <buffer count or block count required>
00778168 215 |      SYSNOTUPD      <I/O database not updated for volume !AS> /FA0=1
00778170 216 |      JNLACCERR      <error accessing security journal>
00778178 217 |      JNLERR         <error creating security journal>
00778180 218 |      VRSNERR        <error creating new journal file>
00778188 219 |      NOPERM         <permanent qualifier not specified>
00778190 220 |      NOSUCHACE      <ACE for object !AS, does not exist!/!AS> /FA0=2
221 |
222 |
223 | Informational messages
224 |
225 | .SEVERITY INFORMATIONAL
00778198 226 |      ENTERED        <!AS entered as !AS> /FA0=2
007781A3 227 |      MODIFIED       <!AS modified> /FA0=1
007781AB 228 |      REMOVED        <!AS removed> /FA0=1
007781B3 229 |      INTSET         <login interactive limit = !UW, current interactive value = !UW> /FA
007781BB 230 |      NEWLIMS        <new working set: Limit = !UL Quota = !UL Extent = !UL> /FA0=3
007781C3 231 |      NAMESET        <process name set to !AS> /FA0=1
007781CB 232 |      MODESET        <process set to !AS> /FA0=1
007781D3 233 |      PRIOSSET       <process !AS, PID=!XL, set to priority !UL> /FA0=3
007781DB 234 |      PRIVSET        <new privileges set>
007781E3 235 |      RESUMED        <process !AS, PID=!XL, resumed> /FA0=2
007781EB 236 |      SUSPND         <process !AS, PID=!XL, suspended> /FA0=2
007781F3 237 |      DEVSET1        <!AS set to !AS> /FA0=2
007781FB 238 |      DEVSET2        <!AS set to !AS = !AS> /FA0=3
00778203 239 |      NOTLOCKED     <!AS notlocked> /FA0=1
0077820B 240 |      UNLOCKED      <!AS unlocked> /FA0=1
00778213 241 |      EOFSET        <end of file written on !AS> /FA0=1
0077821B 242 |      DEVPSET        <protection on !AS set to S:!AS,O:!AS,G:!AS,W:!AS, owner UIC = !%U>
00778223 243 |      SPOOLED       <!AS spooled to queue !AS, intermediate device !AS> /FA0=3
0077822B 244 |      ACCDISAB      <accounting disabled>
00778233 245 |      ACCENAB       <accounting enabled for !AS> /FA0=1
0077823B 246 |      NEWFILE       <new accounting file created>
00778243 247 |      TERMSET       <terminal !AS set to !AS> /FA0=2
0077824B 248 |      UNKTERM       <unknown terminal type>
00778253 249 |      AUDSET        <security auditing parameters set>
0077825B 250 |      JNLSYSDEV     <attempting to create security journal on SYS$SYSDEVICE>
00778263 251 |      NEWJNL        <new security journal successfully created>
0077826B 252 |      NEWVRSN       <new security journal file successfully created>
00778273 253 |      PROTECTED     <!AS file protection changed to !AS> /FA0=2
254 | .END

```

There were 0 errors, 0 warnings, and 0 informational messages issued.
 MESSAGE/FILE_NAME=CLIUTLMSG/LIS=LIS\$:SET/OBJ=OBJ\$:SET MSRC\$:SET

0051 AH-BT13A-SE
VAX/VMS V4.0

**DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY**